

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	177	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:00
S2	36	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer with senso\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:05
S3	1	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer with senso\$4 and thresho\$4 with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:03
S4	3	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer with senso\$4 and thresho\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:04
S5	10	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer\$3 with sensors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:48
S6	1	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer\$3 with sensors and pressure with condenser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 10:30
S25	0	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer\$3 with sensors and (warn\$4 or alarm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 15:04
S26	0	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer\$3 with sensors and (warn\$4 or alarm\$4 or notif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 15:04
S27	2	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer with senso\$4 and warn\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:06

S28	10	refriger\$6 with (measur\$4 or analy\$6 or determin\$4) with computer with senso\$4 and (warn\$4 or alarm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:06
-----	----	--	---	----	----	------------------